

Notice of Allowability

Application No.

10/807,053

Examiner

Jimmy T. Vu

Applicant(s)

NISHIO ET AL.

Art Unit

2821

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Application filed on 03/22/04.
2. ☒ The allowed claim(s) is/are 26-30.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☒ Certified copies of the priority documents have been received in Application No. 09/242,227.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 3/22/04, 4/20/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


TUYET VU
PRIMARY EXAMINER

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In claim 26, line 12, change "tames" to -times--.

Allowable Subject Matter

2. Claims 26-30 are allowed.
3. The following is an examiner's statement of reasons for allowance:

None of the prior art teaches the self-ballasted fluorescent lamp comprising the arc tube formed by parallel arranging the plurality of U-shaped bent bulbs in such the manner that the maximum width of the bulbs ranges from about 32mm to about 42mm, each of which has the bent portion and straight portions, the distance between the two straight portions of each U-shaped bent bulb being so set as to be nearly identical to the distance between each straight portion of each U-shaped bent bulb that is adjacent to the straight portion, the distances being respectively limited in the range from about 1 mm to about 5 mm, and the lighting circuit which includes the circuit board having the maximum width ranging up to 1.2 times the maximum width of the arc tube as claimed in independent claim 26.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. The prior art made of record and relied upon is considered pertinent to applicant's disclosure. The best consider with this application can be filed in Wada (U.S. Patent number 6,462,477 B1).

Information Disclosure Statement

5. The references listed on the information disclosure statement submitted on 03/22/2004 and 04/20/2004 have been considered.

Conclusion


6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jimmy T Vu whose telephone number is (571) 272-1832. The examiner can normally be reached on M - F: 9 - 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on (571) 272-1834. The fax phone numbers for the organization where this application or proceeding is assigned are (571) 273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-2800.

Jimmy Vu

December 05, 2005


TUYET VO
PRIMARY EXAMINER